



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

I. *A Catalogue of the fifty Plants from Chelsea-Garden, presented to the Royal-Society by the Company of Apothecaries, for the Year 1731; pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. Præf. Col. Reg. Med. & Soc. Reg. By Isaac Rand, Apothecary, F. R. S.*

451. **A** BUTILON Americanum, viscosum, graveolens; minimo flore & fructu.

452. Abutilon Americanum; flore eleganti cæruleo; fructu amplo calyci infidente.

453. Abutilon Americanum; folio longius cuspidato; fructu quinque-capsulari.

454. Alaternoides Africana; Ericæ foliis; floribus albicantibus & mucosis. Hist. Amst. II. Pag. 1.

455. Amaranthoides humile; Polygoni folio. Sloan. Hist. Jama. Tab. 86. f. 2.

456. Ammi majus; foliis plurimum incis, & nonnihil crispis. C. B. 159.

457. Anemonospermos Afra; folio Jacobææ, tenuiter laciniato; flore Aurantio pulcherrimo. Boerh. Ind. Alt. 100.

458. Anemonospermos Africana; folio Cardui benedicti; florum radiis intus albicantibus. Hort. Amst. II. 45.

459. Anemonospermos Africana; folio minus laciniato; flore intus aureo, foris punicante.

460. *Apocynum Americanum* ; foliis *Androsæmi* majoris ; flore *Lilij convallium* suave rubentis. H. Reg. Par.

461. *Apocynum erectum* ; folio oblongo ; flore Umbellato, petalis coccineis reflexis. Sloan. Hist. I. 206. Tab. 129. fig. 4 & 5.

462. *Apocynum minus, rectum, Canadense.* Cornut. 93.

463. *Colutea Orientalis* ; flore sanguinei coloris, lutea macula notato. T. Cor. 44.

464. *Coma Aurea, Germanica.* Park. Theatr. 688.

465. *Crambe maritima* ; *Brassicæ* folio. T. 211.

466. *Cyanus montanus, latifolius* ; vel *Verbasculum Cyanoides.* C.B. 273.

467. *Cyanus* ; angustiore folio, & longiore, *Belgicus.* H. Reg. Par.

468. *Elychrysium Africanum* ; folio oblongo, subtus cano, supra viridi ; flore luteo. Boerh. Ind. 42.

469. *Elychrysium Africanum* ; folio oblongo, angusto ; flore rubello postea aureo. Boerh. Ind. 42.

470. *Elychrysium Americanum, annuum* ; folio oblongo, ex angusto, in Orbem desinente.

471. *Galeopsis foeditissima* ; spica longissima alba. Micheli.

472. *Hedysarum triphyllum, fruticosum* ; flore purpureo ; siliqua varie distorta. Sloan. Hist. 184. Tab. 116, f. 2.

473. *Heliotropium maritimum, minus* ; folio glauco ; flore albo. Sloan Hist. I. 213. Tab. 132. f. 3.

474. *Malvinda* ; *Xanthij* fere folio ; fructu Lap-paceo, pentacocco.

Trifolio affinis, Indiæ Orientalis, Xanthij facie. Breyn. Cent. Tab. 35.

475. *Malvinda*; *Ficus folio*; *floribus luteis*, in *Umbella foliacea nascentibus*.

476. *Martynia annua*, *villosa & viscosa*; *folio subrotundo*; *flore magno rubro.* D. Houston.

477. *Polium montanum*, *luteum.* C. B. 220.

478. *Polium montanum*, *album.* C. B. 221.

479. *Polium erectum*, *album*; *angustiori folio*, & *spica.*

480. *Polium Pyrenaicum*, *supinum*; *Hederæ terrestris folio.* T. Inst. 206.

481. *Polium supinum*; *angusto*, *minime crenato folio*; *flore flavescente.*

482. *Quinque-folium*; *folio subtus argenteo*, *maius.* [an *Quinquefolium Pyrenaicum folio subtus argenteo.* T. Inst. 297.

483. *Quinque-folium*; *foliis profunde & eleganter incis*; *flore luteo petalis cordatis.* Cat. Plant. Agr. Florent. Hort. Pisân. 142.

484. *Quinque-folium*, *minus repens*, *luteum,* C. B. 325.

485. *Salvia Orientalis*; *foliis alatis.* D. Sherard. *Salvia Orientalis, latifolia, hirsutissima, viscosa, pinnata*; *flore & Calice purpureis*; *inodora.* Boerh. Ind. Alt. 167. cum fig. opt.

486. *Salvia Orientalis*; *foliis alatis*; *major.* *Horminum Chalapense*; *alato folio*; *flore majore, rubicundo.* Hist. Ox. III. 394.

487. *Stramonium Ægyptiacum*; *flore intus albo, foris Violaceo.*

488. *Stramonium ferox.* Boccon. Rar. 50.

489. *Tithymalus Americanus*; hastato folio, pediculum versus contractiori & utrinque sinuato. A. D. Houston.

490. *Tithymalus Cyparissias*. C. B. 291.

491. *Tithymalus Creticus*, characias, angustifolius & incanus. T. Cor. 1.

492. *Tithymalus helioscopius*. C. B. 291.

493. *Tithymalus*; foliis subrotundis, non crenatis. *Peplus* dictus Raij Syn.

494. *Tithymalus latifolius*. [an *Tithymalus latifolius Hispanicus*. C. B. 291.

495. *Tithymalus maritimus*, minor, Portlandicus. D. Stonestreet. Raij Syn. Ed. 3. 313. Tab. 24. f. 6.

496. *Tithymalus Myrsinites*, latifolius. C. B. 290.

497. *Tithymalus*, tuberosa, Pyriformi radice. C. B. 292.

498. *Tithymalus villosus*; folio lato & obtuso, Nervo medio insigniter albicante. *Tithymalus Hibernicus Merret. Pin.* Raij Syn. 183.

499. *Valerianella Cornucopoides*, rubra. Mor. Umb.

500. *Xanthium Lusitanicum*, Spinosum. Par. Bat. 439.